

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9857885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/726
Client :	M/s Natural Sugar & Allied Ind. Ltd.,
Site :	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition :	In Operation
Date of Sampling :	17.01.2021

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Near Main Gate	
02	Time of Sampling	11:20 A.M.	
03	Ambient Temperature	33 °C	
04	Dry Bulb Temperature	33 °C	
05	Wet Bulb Temperature	19 °C	
06	Relative Humidity	25 %	
07	Sampling Duration	60 Min	
08	Particulate Matter (PM ₁₀)	64.23 µg/cum	100 µg/cum
09	Particulate Matter (PM _{2.5})	17.46 µg/cum	60 µg/cum
10	Sulphur Dioxide (SO ₂)	16.90 µg/cum	80 µg/cum
11	Oxides of Nitrogen (NO _x)	22.75 µg/cum	80 µg/cum

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations..
- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, 18 November 2009.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9857885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/727
Client :	M/s Natural Sugar & Allied Ind. Ltd.,
Site :	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition :	In Operation
Date of Sampling :	17.01.2021

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Ranjani Village Downwind	
02	Time of Sampling	09:30 A.M.	
03	Ambient Temperature	26 °C	
04	Dry Bulb Temperature	26 °C	
05	Wet Bulb Temperature	17 °C	
06	Relative Humidity	39.7 %	
07	Sampling Duration	60 Min	
08	Particulate Matter (PM ₁₀)	54.66 µg/cum	100 µg/cum
09	Particulate Matter (PM _{2.5})	12.05 µg/cum	60 µg/cum
10	Sulphur Dioxide (SO ₂)	11.74 µg/cum	80 µg/cum
11	Oxides of Nitrogen (NO _x)	15.89 µg/cum	80 µg/cum

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations..
- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, 18 November 2009.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9857885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

AMBIENT AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/728
Client :	M/s Natural Sugar & Allied Ind. Ltd.,
Site :	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition :	In Operation
Date of Sampling :	17.01.2021

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS
01	Test Location	Pimpalgaon Village Upwind	
02	Time of Sampling	10:00 A.M.	
03	Ambient Temperature	27 °C	
04	Dry Bulb Temperature	27 °C	
05	Wet Bulb Temperature	18 °C	
06	Relative Humidity	40.9 %	
07	Sampling Duration	60 Min	
08	Particulate Matter (PM ₁₀)	52.91 µg/cum	100 µg/cum
09	Particulate Matter (PM _{2.5})	11.45 µg/cum	60 µg/cum
10	Sulphur Dioxide (SO ₂)	11.08 µg/cum	80 µg/cum
11	Oxides of Nitrogen (NO _x)	14.82 µg/cum	80 µg/cum

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations..
- NAAQS - National Ambient Air Quality Standards, Central Pollution Control Board Notification, No. B - 29016 / 20 / 90 / PCI - I, New Delhi, 18 November 2009.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

WORKZONE AIR QUALITY MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/729
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition:	In Operation
Date of Sampling:	17.01.2021

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS	NAAQS/EPA/*
01	Test Location	Near Boiler	
02	Time of Sampling	11:30 A.M.	
03	Ambient Temperature	33 °C	
04	Dry Bulb Temperature	33 °C	
05	Wet Bulb Temperature	19 °C	
06	Relative Humidity	25 %	
07	Sampling Duration	60 Min	
08	Particulate Matter(PM ₁₀)	64.23 µg/cum	150 µg/cum
09	Particulate Matter (PM _{2.5})	15.42 µg/cum	65 µg/cum
10	Sulphur Dioxide	16.07 µg/cum	200 µg/cum
11	Oxides of Nitrogen	20.68 µg/cum	190 µg/cum

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green EnviroSAFE Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- NAAQS/EPA: The National Ambient Air Quality Standards) were developed by the U.S. 2000.
- *ASHRAE (American Society of Heating, Refrigerating and Air-conditioning Engineers Inc.) Standard 55.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

SOURCE EMISSION MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/730
Client :	M/s Natural Sugar & Allied Ind. Ltd.,
Site :	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS).
Plant Condition :	In Operation.
Date of Sampling :	17.01.2021
Time :	12:00 P.M.

RESULTS

SR. NO.	TEST DESCRIPTION	READINGS
01	Test Location	Boiler (30 TPH)
02	Material of Stack	RCC
03	Stack Height from ground level	60 M
04	Type of Stack	Round
05	Flue Gas Temperature	170°C (443 K)
06	Differential Pressure	1.50 mm WG
07	Velocity	4.89 M/Sec
08	Stack Diameter	3.00 M
09	Stack Area	7.065 M ²
10	Gas Volume	83881.74 NM ³ /Hr

FLUE GAS QUALITY

SR. NO.	PARAMETER	VALUE
01	Suspended Particulate Matter (SPM)	55.36 mg/NM ³
02	Sulphur Dioxide (SO ₂)	28.05 mg/NM ³
		56.47 Kg/Day

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- Maharashtra Pollution Control Board (MPCB) Limits SPM: 150 mg / Ncum.
- Maharashtra Pollution Control Board (MPCB) Limits SO₂: As per Consent.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

NOISE LEVEL MONITORING RESULTS

Report No.:	EEIPL/REP/2020.21/731
Client :	M/s Natural Sugar & Allied Ind. Ltd.,
Site :	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition :	In Operation
Sampling Date :	17.01.2021
Time Of Sampling:	01:20 P.M.

RESULTS

SR.NO.	LOCATION	READINGS dB(A)	LIMITS (Refer Note Below)
AMBIENT			
01	Near Main Gate	63.5	75
02	Near Weighing Bridge	64.1	75
03	Near Spray Pond	63.0	75
04	Near Sugar Godown	58.2	75
05	Near Bagasse Yard	62.3	75
WORK ZONE			
01	Mixing Section	78.2	90
02	Boiler Section	79.0	90
03	Juice Clarification Section	81.4	90
04	Centrifuge Section	82.6	90
05	Sugar House	76.2	90

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- Maharashtra Pollution Control Board (MPCB) has prescribed 75 dB (A) as an upper limit of Noise Level during the Day Time & 70 dB (A) during the Night Time.
- The Factories' Act, 1948 has prescribed Work Zone Noise Level threshold limit for 8 hours' exposure as 90 dB (A).

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

EFFLUENT SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2020.21/732
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition:	In Operation
Sampling Date:	17.01.2021
Analysis Date:	18.01.2021
Sample Name:	ETP-Untreated & Treated

RESULTS

SR. NO.	TEST DESCRIPTION	UNTREATED	TREATED	MPCB LIMIT	UNIT
01	pH	3.65	7.67	5.5 - 9.0	--
02	Suspended Solids (SS)	133.02	63.98	100	mg/lit
03	Total Dissolved Solids (TDS)	3568.74	1820.36	2100	mg/lit
04	Chemical Oxygen Demand (COD)	3092.51	202.74	250	mg/lit
05	Biochemical Oxygen Demand (BOD)	1286.43	75.60	100	mg/lit
06	Chlorides as Cl ⁻	823.14	236.92	600	mg/lit
07	Sulphates as SO ₄ ⁻	635.92	200.45	1000	mg/lit
08	Oil & Grease	2.70	BDL	10	mg/lit

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green EnviroSAFE Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- BDL: Below Detectable Limit.

Dr. Sandip Mangalekar
(Deputy Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

COMPOST SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2020.21/733
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition:	In Operation
Sampling Date:	17.01.2021
Analysis Date:	18.01.2021
Sample Name:	Compost Sample

RESULTS

SR. NO.	TEST DESCRIPTION	RESULTS	UNIT
01	Moisture Content	33.89	%
02	pH	7.63	--
03	Total Volatile Solids	14.47	%
04	Residual Ash Content	10.32	%
05	Available Nitrogen as N	752.80	mg/kg
06	Phosphorous as P	256.92	mg/kg
07	Potassium as K	230.69	mg/kg
08	Organic Carbon	12.14	%
09	C/N Ratio	10.67	---
10	Electrical Conductivity	8536.20	µS/cm

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

LEACHATE SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2020.21/734
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Plant Condition:	In Operation
Sampling Date:	17.01.2021
Analysis Date:	18.01.2021
Sample Name:	Leachate Sample

RESULTS

SR. NO.	TEST DESCRIPTION	RESULTS	UNIT
01	pH	3.17	-----
02	Electric Conductance	58623.35	µS/cm
03	Chemical Oxygen Demand	6253.90	mg/lit
04	Biological Oxygen Demand	2469.81	mg/lit
05	Chlorides as Cl ⁻	9653.42	mg/kg

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

GROUND WATER SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2020.21/735
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Sampling Date:	17.01.2021
Analysis Date:	18.01.2021
Sample Name:	Ranjani Village

RESULTS

SR. NO.	TEST DESCRIPTION	RESULT	LIMIT AS PER IS10500:2012	UNIT
01	Colour	Clear	<5.00	Hazen Unit
02	Odour	Agreeable	Agreeable	--
03	pH	7.58	6.5 -8.5	--
04	Alkalinity as CaCO ₃	19.32	<200.00	mg/lit
05	Chemical Oxygen Demand (COD)	11.06	Not Specified	mg/lit
06	Biochemical Oxygen Demand (BOD)	4.58	Not Specified	mg/lit
07	Total Dissolved Solids (TDS)	302.17	<500.00	mg/lit
08	Chlorides as Cl ⁻	40.66	<250.00	mg/lit
09	Total Hardness as CaCO ₃	116.53	<200.00	mg/lit
10	Calcium as Ca	35.20	<075.00	mg/lit
11	Magnesium as Mg	6.95	<030.00	mg/lit
12	Sodium as Na	0.42	Not Specified	mg/lit
13	Potassium as K	0.65	Not Specified	mg/lit
14	Turbidity	0.30	<001.00	NTU
15	Electric Conductance	450.99	Not Specified	µS/cm
16	Fluorides as F-	BDL	< 1.00	mg/lit
17	Chromium as Cr	BDL	< 0.05	mg/lit
18	Cadmium as Cd	BDL	<0.003	mg/lit
19	Nickel as Ni	BDL	< 0.02	mg/lit
20	Zinc as Zn	BDL	<5.00	mg/lit

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- BDL: Below Detectable Limit.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)

■ ENVIRONMENTAL; CIVIL & CHEMICAL ENGINEERS,
CONSULTANTS AND ANALYSTS

- F-11, NAMDEV NEST, 1160-B, 'E' WARD, SYKES EXTENSION,
OPP. KAMALA COLLEGE, KOLHAPUR - 416 001 (M.S.), PH.: (0231) 2531231,
TELEFAX : (0231) 2526337, MOBILE : (0) 9657885122
- F-502, FIFTH FLOOR, NANDANVAN TOWER, MUMBAI-PUNE HIGHWAY,
PANVEL - 410 206 (M.S.), MOBILE : +91 9822882822
- OFFICE NO. 87, 4th FLOOR, KUNAL PLAZA, CHINCHWAD CHOWK,
PUNE - 411 018 (M.S.), MOBILE : +91 9890150622
- Website : www.equinoxenvi.com
- E-mail : enquiry@equinoxenvi.com, customercare@equinoxenvi.com



DATE: JANUARY 21, 2021

SURFACE WATER SAMPLE ANALYSIS REPORT

Report No.:	EEIPL/REP/2020.21/736
Client:	M/s Natural Sugar & Allied Ind. Ltd.,
Site:	Sainagar, Ranjani, Tah.Kallam, Dist.Osmanabad (MS)
Sampling Date:	17.01.2021
Analysis Date:	18.01.2021
Sample Name:	Manjara Dam

RESULTS

SR. NO.	TEST DESCRIPTION	RESULT	LIMIT AS PER IS10500:2012	UNIT
01	Colour	Clear	<5.00	Hazen Unit
02	Odour	Agreeable	Agreeable	--
03	pH	7.36	6.5 -8.5	--
04	Alkalinity as CaCO ₃	10.23	<200.00	mg/lit
05	Chemical Oxygen Demand (COD)	6.11	Not Specified	mg/lit
06	Biochemical Oxygen Demand (BOD)	2.89	Not Specified	mg/lit
07	Total Dissolved Solids (TDS)	182.60	<500.00	mg/lit
08	Chlorides as Cl ⁻	18.15	<250.00	mg/lit
09	Total Hardness as CaCO ₃	57.30	<200.00	mg/lit
10	Calcium as Ca	18.74	<075.00	mg/lit
11	Magnesium as Mg	2.55	<030.00	mg/lit
12	Sodium as Na	BDL	Not Specified	mg/lit
13	Potassium as K	BDL	Not Specified	mg/lit
14	Turbidity	BDL	<001.00	NTU
15	Electric Conductance	272.53	Not Specified	µS/cm
16	Fluorides as F ⁻	BDL	< 1.00	mg/lit
17	Chromium as Cr	BDL	< 0.05	mg/lit
18	Cadmium as Cd	BDL	<0.003	mg/lit
19	Nickel as Ni	BDL	< 0.02	mg/lit
20	Zinc as Zn	BDL	<5.00	mg/lit

Note:

- The analysis has been conducted in a MoEFCC; New Delhi approved and NABL accredited laboratory-M/s. Green Envirosafe Engineers & Consultant Pvt. Ltd, Pune- that has also received OHSAS 18001-2007 accreditations.
- BDL: Below Detectable Limit.

Dr. Sandip Mangalekar
(Dy. Head Monitoring)